



**KALYAN HERITAGE**

Grishh Corporation, B/H. Shyam Farm, Nr. Kalyan Chowk,  
Nikol-Naroda Road, Nikol, Ahmedabad-382345, Gujarat, India.

Mo. :- +91 96243 80111



RERA Registration No. \_\_\_\_\_

<https://gujrera.gujarat.gov.in/>



Image is only for Representative Purpose

KALYAN HERITAGE

02/09




The site plan shows a rectangular building footprint with various internal drive ways and platforms. The building is surrounded by a 30.00 MT. WIDE T.P.S. ROAD on the left and bottom. The plan includes the following features:

- Drive Ways:**
  - Top Left: 2.44 MT. WIDE DRIVE WAY, 2.10 MT. WIDE DRIVE WAY, 2.40 MT. WIDE DRIVE WAY, 2.40 MT. WIDE DRIVE WAY, 4.18 MT. WIDE DRIVE WAY, 4.00 MT. WIDE DRIVE WAY, 2.10 MT. WIDE DRIVE WAY.
  - Top Center: 2.00 MT. WIDE DRIVE WAY, 2.12 MT. WIDE DRIVE WAY.
  - Top Right: 5.16 MT. WIDE DRIVE WAY, 5.95 MT. WIDE DRIVE WAY.
  - Center: 3.73 MT. WIDE DRIVE WAY, 3.66 MT. WIDE DRIVE WAY, 3.66 MT. WIDE DRIVE WAY.
  - Bottom: 3.40 MT. WIDE DRIVE WAY, 3.40 MT. WIDE DRIVE WAY, 3.40 MT. WIDE DRIVE WAY.
  - Right Side: 6.35 MT. WIDE DRIVE WAY, 5.50 MT. WIDE DRIVE WAY.
- Platforms:**
  - Top Right: PLATFORM 7.55 X 6.73.
  - Bottom Right: PLATFORM 6.00 X 6.25.
- Other Features:**
  - Block A, B, and C are labeled within the building footprint.
  - Various dimensions and slopes are indicated throughout the plan.
  - A north arrow is located at the bottom right.
  - The date 03/09 is at the bottom right.

3<sup>RD</sup> BASEMENT  
PLAN




GROUND FLOOR  
PLAN





GROUND FLOOR WITH HOLLOW PLINTH PLAN



1<sup>ST</sup> & 2<sup>ND</sup> FLOOR PLAN










5<sup>TH</sup> & 7<sup>TH</sup> TYPICAL FLOOR N  
PLAN



TERRACE & STAIR CABIN  
PLAN






Image is only for Representative Purpose





## Specifications Complex

- Structure**  
Earthquake resistant RCC frame Structure with Masonry wall.
- Plaster**  
Internal mala Plaster with putty finish and External double coat plaster.
- Flooring**  
Vitrified tiles flooring or equivalent.
- Toilets**  
Ceramic tile flooring in all toilets, glazed tiles dedo.
- Elevator**  
Automatic Elevators
- Doors**  
Shutter in Shops.
- Electrification**  
Concealed copper wiring with individual Distribution board in all premises with Single Phase electrical meter.

## Specifications Residency

- 

**STRUCTURE**  
• Earthquake Resistant RCC frame structure.
- 

**PLASTER WORK**  
• Double coat plaster on external walls.  
• Single coat mala plaster on inside wall with white putty.
- 

**KITCHEN**  
• Granite platform with sink.  
• Tile dedo above platform upto lintel level.
- 

**PLUMBING**  
• CPVC / UPVC pipes , C.P. fittings & sanitary ware or equivalent.

- 

**FLOORING & WALL TILES**  
• Vitrified tiles flooring or equivalent.  
• Tiles up to lintel level in bathroom and kitchen.
- 

**DOORS & WINDOWS**  
• Main door with wooden frame or equivalent.  
• Internal all flush plain doors or equivalent.  
• Sliding window with full glass or equivalent.
- 

**ELECTRIC WORK**  
• Three Phase concealed copper wiring.
- 

**WATER PROOFING**  
• Weather resistant paint on all external walls.  
• All internal walls with water resistant or acrylic based white putty.

## LOCATION GUIDE



**Structure Engineer**  
**Bhavikkumar Sudani**

**Architect**  
**Siddharth Patel**

**Engineer**  
**Navdeep Vaddoriya**