



IDEAL IMPRINT







GROUND FLOOR

42.64




42.64



42.64





BASEMENT 2

SPECIFICATION

STRUCTURE	<ul style="list-style-type: none">RCC Structure designed with Earthquake resistant frame
FLOORING	<ul style="list-style-type: none">Vitrified flooring in complete apartmentDesigner tiles in Bathrooms and Utility areaLobby with Vitrified tiles and Granite
ELECTRIFICATION	<ul style="list-style-type: none">Modular switchesISI wires, MCB and ELCB
KITCHEN	<ul style="list-style-type: none">Stainless steel sink (S.S. Sink)Granite Platform
DOORS	<ul style="list-style-type: none">Main Door – Modular/Flush Doors with both side laminated and wooden frameOther Doors –Modular/Flush Doors with both side paint with wooden frame
WINDOWS	<ul style="list-style-type: none">Sliding Aluminum windows with powder coatingNatural Stone frames on window jambs
TOILETS/BATHROOMS	<ul style="list-style-type: none">Concealed PlumbingHealth FaucetWall design Glased / Ceramic Tiles up to Lintel LevelStone frames for BathroomsCP Fittings: Jaguar, Cera or equivalent
FIRE PREVENTIVE MEASURES	<ul style="list-style-type: none">Entire design comprises of the Internal Building Code (IBC)Automatic fire sprinklers installed in the Hollow PlinthManual panic alarm provided on each floor for fire safety
PARKING	<ul style="list-style-type: none">Basement parking

